

9000170

TO ALL TO WHOM THESE: PRESENTS: SHALL COME: University of Illinois

Talkereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OF ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen years from the date of this grant, subject TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-CLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT yariety therefrom, to the extent provided by the Plant Variety Protection Act. the United States seed of this variety (1) shall be sold by variety name only as §S OF CERTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS Q BY THE OWNER OF THE RIGHTS. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'Hamilton'

In Lestimony Wathereof, I have hereunto set my hand and caused the seal of the Plaut Variety Protection Office to be affixed at the City of Washington, D.C. 31st day of the year of our Lord one thousand nine

hundred and ninety-two.

The And MAdigan Secretary of Apriculture

Plant Variety Protection Office Mural Marketing Service

Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, OIRM, Room 404-W, Washington, D.C. 20250; and to the Office of Management and Budget, Paperwork Reduction Project (OMB #0581-0055), Washington, 20250.

FORM APPROVED: OMB 0581-0055, Expires 1/31/91

U.S. DEPARTMENT O AGRICULTURAL MAR APPLICATION FOR PLANT VARIE (Instructions of	TY PROTECTION	I CERTIFICATE	Application is required in order determine if a plant variety protecti certificate is to be issued (7 U.S.C. 242 information is held confidential un certificate is issued (7 U.S.C. 2426).
NAME OF APPLICANT(S) (as it is to appear on the Certificate)		2. TEMPORARY DESIGNATION OR	3. VARIETY NAME
University of Illinois		LN82-2366	Hamilton
4 ADDRESS (street and no. or R.F.D. no., city, state, and ZIP) Illinois Agricultural Experiment Sta 1301 W. Gregory 211 Mumford Hall	ation	5. PHONE (Include area code) 217-333-0240	PVPO NUMBER 9000170
University of Illinois Urbana, IL 61801		. *	F Date May 14.1990
6. GENUS AND SPECIES NAME	7. FAMILY NAME (Botanio	(al)	Time
Glycine max (L.) Merr.	Leguminosae		G A.M. P.N
8. CROP KIND NAME (Common Name)	9.	DATE OF DETERMINATION	F Filing and Examination Fee:
Soybeans	i	ıgust 1, 1989	E \$ 2150
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORC	GANIZATION (Corporation, part	nership, association, etc.)	R May 14, 1996
			Certificate Fee:
11. IF INCORPORATED, GIVE STATE OF INCORPORATION	12. DA	TE OF INCORPORATION	Date gan. 3, 1991
14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (F. a.	ship. Id Sample mailed to Flant V "Treasurer of the United Sta SOLD BY VARIETY NAME ONLY befow) NO (If "No STO 17. IF "YES" TO	atiety Protection Office stes." AS A CLASS OF CERTIFIED SEED? (.)," skip to item 18 below) ITEM 16, WHICH CLASSES OF PROD NDATION	See section 83(a) of the Plant Variety
19. HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR YES (II "YES," give names of countries and dates) NO	MARKETED IN THE U.S. OR O	THER COUNTRIES?	
20. The applicant(s) declare(s) that a viable sample of basic s request in accordance with such regulations as may be applicant applicant (s) is (are) the owner(s) of this uniform, and stable as required in section 41, and is entitled applicant(s) is (are) informed that false representation he	plicable. s sexually reproduced n ed to protection under th	ovel plant variety, and believel provisions of section 42 of the ction and result in penalties.	ve(s) that the variety is distinct
Low Holl	Die	The AES	May 1, 1990
SIGNATURE OF APPLICANT (Owner(s))	CAPACITY OR TO	~~, ·	DATE (

SOYBEAN

'Hamilton'

14a. Exhibit A:

Pedigree: Sprite x L75-3632

Hamilton originated as a F_4 plant selection from the cross of Sprite x L75-3632 made at the Illinois Agricultural Experiment Station. L75-3632 is a selection from the cross Corsoy (6) x Lee 68 and is a sister line to Corsoy 79. The F_2 and F_3 generations were advanced during the winter at the Puerto Rico Agricultural Experiment Station by single-seed descent. Hamilton was evaluated as LN82-2366 in Illinois for agronomic performance during 1982-88. It was evaluated in the Uniform Tests-Northern States; Preliminary Test IVA 1985 and Uniform Test IV 1986-88.

Hamilton appears stable and uniform through five generations of selfing and during seed increase program for other characteristics.

14b. Exhibit B: Novelty Statement

Hamilton is most similar to Spencer. Hamilton differs from Spencer having gray pubescence, and buff hila while Spencer has brown pubescence and brown hila.

(Soybean)

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

00,22,	,,	
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
University of Illinois	LN82-2366	Hamilton
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Cod		FOR OFFICIAL USE ONLY
1301 W. Gregory Illinois Ag. Experimen 211 Mumford	t Station	9000170
University of Illinois, Urbana, IL 61801		
Choose the appropriate response which characterizes the var		below. When the number of significant digits
in your answer is fewer than the number of boxes provided,	place a zero in the first box w	then number is 9 or less (e.g., 0 9).
1. SEED SHAPE:		
2 IT. W		
	1 1 1	(L/W ratio > 1.2; L/T ratio = < 1.2)
1 = Spherical (L/W, L/T, and T/W ratios = $\langle 1.2 \rangle$ 3 = Elongate (L/T ratio \rangle 1.2; T/W = $\langle 1.2 \rangle$	2 = Spherical Flattened 4 = Elongate Flattened	(L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)	-	
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other	(Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
2 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebs	ov': 'Gasov 17')	
2 - Dail (Goldo, 70 , Blacker) - 2 - Gilling (1820	2, , 2,000, 11,	
4. SEED SIZE: (Mature Seed)		
1 6 Grams per 100 seeds		
5. HILUM COLOR: (Mature Seed)		
1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect Bla	ack 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		
1 = Yellow 2 = Green		
7. SEED PROTEIN PEROXIDASE ACTIVITY:		
2 = High		
8. SEED PROTEIN ELECTROPHORETIC BAND:		
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)		
9. HYPOCOTYL COLOR:		
11 1	th bronze band below cotyledons	('Woodworth'; 'Tracy')
3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson'		
10. LEAFLET SHAPE:		
1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)	
3 - Ovale	- Callet topoon y/	

Page 1 of 4

11. LEAF	FLET SIZE:	ang aka sa taon masak bibi. Mangrapa
2	1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17') 3 = Large ('Crawford'; 'Tracy')	
12. LEAF	F COLOR:	
2	1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy')	
13. FLOW	WER COLOR:	
1	1 = White 2 = Purple 3 = White with purple throat	٠.
14. POD C	COLOR:	en e
2	1 = Tan 2 = Brown 3 = Black	
15. PLAN	NT PUBESCENCE COLOR:	
1	1 = Gray 2 = Brown (Tawny)	
16. PLANT	NT TYPES:	
2	1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')	
17. PLANT	IT HABIT:	——————————————————————————————————————
3	1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')	
18. MATUF	JRITY GROUP:	
7	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X	8 = V
19. DISEAS	ASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)	
	TERIAL DISEASES:	er en som en
	Bacterial Pustule (Xanthomonas phaseoli var. sojensis)	
0	Bacterial Blight (Pseudomonas glycinea)	
0	Wildfire (Pseudomonas tabaci)	· · · · · · · · · · · · · · · · · · ·
FUNGA	AL DISEASES:	
	Brown Spot (Septoria glycines)	
	Frogeye Leaf Spot (Cercospora sojina)	
0		Specify)
0	Target Spot (Corynespora cassiicola)	
0	Downy Mildew (Peronospora trifoliorum var. manshurica)	÷.
0	Powdery Mildew (Microsphaera diffusa)	
	Brown Stem Rot (Cephalosporium gregatum)	
	•	

0	Λ	Λ	\cap	1	7	\wedge
フィ	U	W	U	- 1	1	{ }


19.	DISEA	SE REACTION	: (Enter 0 = Not	Fested; 1 = Susceptibl	e; 2 = Resistant)	(Continued)			
	FUN	IGAL DISEASE	S: (Continued)		,				
	0	Pod and Stem	n Blight <i>(Diaporthe</i>	phaseolorum var; soj	iae)				
		Purple Seed S	Stain <i>(Cercospora k</i>	ikuchii)					
	0	Rhizoctonia I	Root Rot (Rhizoct	onia solani)					
		Phytophthora	a Rot <i>(Phytophtho</i>	ra megasperma var. sc	ojae)				
	1	Race 1	1 Race 2	1 Race 3	1 Race 4	0 Race	5 0 Race 6	0 Race 7	
	0	Race 8	0 Race 9	Other (Spec.	ify)			·	
	VIR	AL DISEASES:					•		
	0	Bud Blight (T	obacco Ringspot \	/irus)					
	0	Yellow Mosai	c (Bean Yellow Mo	osaic Virus)					
•	0	Cowpea Mosa	ic (Cowpea Chlord	tic Virus)					
	0	Pod Mottle (B	Bean Pod Mottle Vi	rus)					
	0	Seed Mottle (Soybean Mosaic V	irus)					
	NEM	ATODE DISEA						•	
		Soybean Cyst	Nematode (Hetero	odera glycines)					•
,	1	Race 1	1 Race 2	1 Race 3	1 Race 4	Other	(Specify)		
	0	Lance Nemato	ode <i>(Hopiolaimus (</i>	Colombus)	·				
		Southern Roo	t Knot Nematode	(Meloidogyne incogni	ita)				
		Northern Roo	t Knot Nematode	(Meloidogyne Hapla)					
			1 1 -	leloidogyne arenaria)			٠		-
		Reniform Nen	natode (Rotylench	ulus reniformis)			•		
	H	OTHER DISE	ASE NOT ON FO	RM (Specify):					
	<u> </u>		·						
20.	PHYSIC	LOGICAL RES	SPONSES: (Enter	0 = Not Tested; 1 = \$	Susceptible; 2 = R	esistant)			
•		Iron Chlorosis	on Calcareous Soi	I					
		Other (Specify	<i>'</i>						
21.	NSECT	REACTION:	(Enter 0 = Not Tes	sted; 1 = Susceptible;	2 = Resistant)				
	0	Mexican Bean	Beetle (Epilachna	varivestis)		•			
	0	Potato Leaf He	opper <i>(Empoasca i</i>	abae)					
								<u>.</u>	
2. 1	NDICA			OSELY RESEMBLES		FED.			
• .	·	ACTER		E OF VARIETY		ARACTER	NAN	ME OF VARIETY	
F	lant Sha		Spencer			Coat Luster	Spencer		,
L	eaf Sha	pe	Spencer	: :	Seed S	Size	Spencer		· · · · · · · · · · · · · · · · · · ·
L	eaf Colo	or	Spencer		Seed S	Shape	Spencer		
L	eaf Size		Spencer		Seedli	ng Pigmentation	Spencer		
								e e	
FOR	M LMG	S-470-57 (2-82	2)						Page 3 of 4

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
	MATURITY			CM Width	CM Length	% Protein	% Oil	SEEDS	POD
Hamilton Submitted	143	2.0	86	7.5	13.4	40.7	21.8	16.2	2.5
Spencer Name of Similar Variety	148	2.3	97	8	10	40.1	21.6	16.6	2.5

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.



14d. Exhibit D. Additional Description of Variety

Hamilton is classified as Group IV maturity (relative maturity 4.0), averaging 5 days earlier than Spencer. It is best adapted to approximately 38 to 40° lat. In comparison to Spencer, Hamilton averages 2% higher yield, 4 inches shorter and better seed quality.

14e. Exhibit E. Statement of the Basis of Applicants Ownership

Hamilton was developed at the University of Illinois, Illinois Agricultural Experiment Station by C. D. Nickell, an employee in the Department of Agronomy.